


# Material Handling & Storage Solutions

Valley Craft Industries, Inc.





**Material Handling  
Drum Handling  
Storage Solutions**

Valley Craft, a family-owned company based in Minnesota and founded in 1953, has become a renowned world-class manufacturer specializing in Material Handling, Drum Handling, and Storage Solutions. Our unwavering commitment to excellence in product design, manufacturing, and customer satisfaction sets us apart. Throughout the years, we have revolutionized the way people work by overcoming various material handling challenges. As the solutions we provide continue to evolve, our core values remain unchanged:

**Professional Grade Quality, Built to Last, Made in the U.S.A.**

At Valley Craft we are thrilled to collaborate with our customers and have a passion for providing informed solutions around thoughtful and intelligently designed products. This culture is what has paved the way for enduring relationships with our customers. We look forward to partnering with you as we continue to transform the way people work through safer, smarter, and more efficient practices.



**Premium  
Components**



**Heavy  
Gauge Steel**



**Built  
To Last**



**ISO  
Certified**



**Made  
in the U.S.A.**



**Strategic  
Partnerships**



# Table of Contents



## Cabinets

Bin & Shelf Cabinets.....	4
Deep Door Bin & Shelf Cabinets.....	5
Electronic Locking Cabinets.....	6
Clear-View Cabinets.....	7
Pegboard Cabinets.....	8
Drawer Cabinets.....	9
Heavy Duty Shelf Cabinets.....	10
12 Gauge Cabinets.....	11



## Workstations

Mobile Shop Desks.....	12
Mobile Workbenches.....	13
Deluxe Mobile Workbenches.....	14
Deluxe Wall Cabinets.....	15
Deluxe Bin & Shelf Cabinets.....	16
Deluxe Deep Door B&S Cabinets.....	17
Adjustable Height Work Tables.....	18
Welded Work Tables.....	19



## Carts

Bin & Tool A-Frame Cart.....	20
Heavy Duty A-Frame Cart.....	21
Cage Carts.....	22
Security Carts.....	23
12 Gauge Utility Shelf Carts.....	24
Quad-Steer Trailers.....	25



## Dump Systems

Chip Trucks.....	26
Mobile Hoppers.....	27
Powered Self-Dumping System.....	28
Powered Self-Dumping Hoppers.....	29
Box Dumpers.....	30
Drum Dumpers.....	31



## Drum Handling

Drum Dumpers.....	31
Mech. Drum Forklift Attachments.....	32
Pwrdr. Drum Forklift Attachments.....	33
Drum Lifts & Transporters.....	34
Drum Lifts & Rotators.....	35
Steel Lifts.....	36
Steel Lifts Accessories.....	37
Drum Hand Trucks.....	38
Powered Drum Hand Trucks.....	39
Drum Dollies.....	40



## Hand Trucks

Drum Hand Trucks.....	38
Powered Drum Hand Trucks.....	39
Multi-Use Hand Trucks.....	41
Pallet Hand Trucks.....	42
Powered Pallet Hand Trucks.....	43
HVAC Hand Trucks.....	44
Commercial Hand Trucks.....	45
Nursery Hand Trucks.....	46
Cylinder Hand Trucks.....	47



## Facility Storage

Gas Cylinder Storage Cabinets.....	48
Jobsite Box.....	49
Industrial Shelving.....	50
Heavy Duty Shelving.....	51
Post Protectors.....	52



## Shop Equipment

Louvered Wall Panels.....	53
Storage Bins.....	54



## Forklift Attachments

Powered Self-Dumping System.....	28
Powered Self-Dumping Hoppers.....	29
Mech. Drum Forklift Attachments.....	32
Pwrdr. Drum Forklift Attachments.....	33



**Styles**



Base    Shelf Only    Door Bins    Half Bins    Full Bins

- Protect, store, and easily find your tools, parts, and supplies.
- Heavy duty 14 gauge steel construction, fully welded.
- Variety of bin and shelf configurations to fit your needs.
- Louvered bin brackets for hanging plastic storage bins.
- 18" Deep shelves allow bins on doors to be unobstructed when closed.
- Shelves are easily adjustable on 7 3/8" increments, 1,000 lb. capacity per shelf.
- Full piano hinge doors improve stability and durability.
- Zinc plated handle with 3-point locking system helps keep items secure, key included.
- 60" & 72" Width models include 6" raised legs for improved stability and durability.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## Bin & Shelf Cabinets

Model #	Width	Style	Shelf		Bin Brackets		Bins	Dimensions W x D x H (in)	Steel Gauge	Weight (lb)	
			qty	lb	Back	Doors					
F89126	36"	Base	-		Full		-	36 x 24 x 78	14	284	
F89125		Shelf Only	4	1,000	-					-	318
F89124		Door Bins	4							96: (96) XS	332
F89123		Half Bins	3							Half	102: (96) XS, (6) XL
F89122		Full Bins	-		Full					138: (96) XS, (24) M, (12) L, (6) XL	346
F89109*	48"	Base	-		Full		-	48 x 24 x 78		352	
F89121*		Shelf Only	4	1,000	-					-	392
F87451A6*		Door Bins	4							120: (120) XS	410
F87842A4*		Half Bins	3							Half	126: (120) XS, (6) XL
F87843A3*		Full Bins	-		Full					147: (120) XS, (9) L, (18) XL	431
F89108	60"	Base	-		Full		-	60 x 24 x 84		471	
F89117		Shelf Only	4	1,000	-					-	541
F89116		Door Bins	4							160: (160) XS	566
F87954A6		Half Bins	3							Half	172: (160) XS, (12) XL
F87953A7		Full Bins	-		Full					196: (160) XS, (24) L, (12) XL	573
F89107	72"	Base	-		Full		-	72 x 24 x 84		551	
F89113		Shelf Only	4	1,000	-					-	629
F89112		Door Bins	4							192: (192) XS	657
F85869A6		Half Bins	3							Half	204: (192) XS, (12) XL
F89110		Full Bins	-		Full					276: (192) XS, (48) M, (24) L, (12) XL	676

**Additional Interior Shelving - Adjustable:** (36"x18") F87854A2, (48"x18") F87845A1, (60"x18") F87956A4, (72"x18") F85871A4


**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2

**Mobile Cabinet Platforms:** (36") F86678, (48") F86679

**\*QUICKSHIP:** In Stock, Ships within 24 to 48 hours.



## Styles



Base      Shelf Only      Door Bins      Half Bins      Full Bins

- 4" Deep door design provides added storage, organization, and durability.
- Keep items organized, clean, and secure.
- Protect, store, and easily find your tools, parts, and supplies.
- Heavy duty 14 gauge steel construction, fully welded.
- Variety of bin and shelf configurations to fit your needs.
- Louvered bin brackets for hanging plastic storage bins.
- 18" Deep interior shelves are easily adjustable on 7 3/8" increments.
- 4" Deep door shelves are easily adjustable on 4" increments.
- 1,000 lb. capacity per interior shelf, 100 lb. capacity per door shelf.
- Zinc plated handle with 3-point locking system helps keep items secure, key included.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## Deep Door Bin & Shelf Cabinets

Model #	Size W x H (in)	Style	Shelf		Door Shelf		Bin Brackets		Bins	Dimensions W x D x H (in)	Steel Gauge	Weight (lb)
			qty	lb	qty	lb	Back	Doors				
F89106	36 x 78	Base	-	-	-	-	Full	Full	-	36 x 24 x 78	14	309
F89105		Shelf Only	4	1,000	6	100	-	Half	-			339
F89104		Door Bins	4						48: (48) XS			346
F89103		Half Bins	3				Half		54: (48) XS, (6) XL			364
F89102		Full Bins	-	-	-	-	Full	Full	138: (96) XS, (24) M, (12) L, (6) XL			371
F89101	48 x 78	Base	-	-	-	-	Full	Full	-	48 x 24 x 78	14	378
F89100		Shelf Only	4	1,000	6	100	-	Half	-			410
F89099		Door Bins	4						72: (72) XS			421
F89098		Half Bins	3				Half		78: (72) XS, (6) XL			440
F89097		Full Bins	-	-	-	-	Full	Full	147: (120) XS, (9) L, (18) XL			457
F89096	48 x 84	Base	-	-	-	-	Full	Full	-	48 x 24 x 84	14	397
F87972A8		Shelf Only	4	1,000	6	100	-	Half	-			429
F89094		Door Bins	4						72: (72) XS			440
F87971A9		Half Bins	3				Half		78: (72) XS, (6) XL			459
F87969A1		Full Bins	-	-	-	-	Full	Full	163: (136) XS, (9) L, (18) XL			480

**Additional Interior Shelving - Adjustable:** (36"x18") F87854A2, (48"x18") F87845A1

**Additional Door Shelving - Adjustable:** (18"x4") F87103A8, (24"x4") F87997A9

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36"W) F88134A5, 8-Drawer (48"W) F88138A2



- Clear acrylic panels on both doors allow clean visibility.
- Easily view inventory while keeping doors closed and supplies secure.
- Keep items organized, clean, and secure.
- Variety of bin and shelf configurations to fit your needs.
- Designed for organization, cleanliness, and transparency.
- Louvered bin brackets for hanging plastic storage bins.
- (4) 22" Deep shelves are easily adjustable on 7 3/8" increments.
- Full piano hinge doors improve stability and durability.
- Handle with 3-point locking system helps keep items secure, key included.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Base**



**Shelf Only**



**Half Bins**



**Full Bins**

## Clear-View Cabinets

Model #	Width (in)	Style	Shelf Quantity	Bin Brackets	Bins	Dimensions W x D x H (in)	Weight (lb)
F89082	36	Base	-	Full	-	36 x 24 x 78	256
F89081		Shelf Only	4	-			290
F89080		Half Bins	3	Half	6: (6) XL		308
F89079		Full Bins	-	Full	18: (18) XL		304
F89078	48	Base	-	Full	-	48 x 24 x 78	310
F89077		Shelf Only	4	-			350
F89076		Half Bins	3	Half	6: (6) XL		374
F89075		Full Bins	-	Full	27: (9) L, (18) XL		368

**Additional Interior Shelving - Adjustable:** (36"x22") F87855A1, (48"x22") F87856A0

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2

**Mobile Cabinet Platforms:** (36") F86678, (48") F86679





- Keyless entry using premium secure Digilock® technology.
- Eliminate the need for a physical key to lock or unlock.
- Controlled access with customized entry code.
- Protect, store, and easily find your tools, parts, and supplies.
- (3) Shelves are easily adjustable on 7 3/8" increments.
- Louvered doors for hanging plastic storage bins (select models).
- 3-point locking system with 1/2" solid steel deadbolt.
- Full piano hinge doors improve durability and longevity.
- Programming bypass/master key included.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## Industrial




**Flush Door**



**Gray**

## Deluxe



**Louvered  
Doors**



**Black**

**Silver**

**White**

## Industrial Electronic Locking Cabinets

Model #	Width (in)	Height (in)	Shelf Quantity	Shelf Size W x D (in)	Shelf Capacity (lb)	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
F85875A0	36	72	3	36 x 22	1,000	14	36 x 24 x 72	280
F85232A6		78					36 x 24 x 78	295
F85876A9		84					36 x 24 x 84	310
F85877A8	48	72	3	48 x 22	1,000	14	48 x 24 x 72	335
F85874A1		78					48 x 24 x 78	355
F85231A7		84					48 x 24 x 84	375

**Additional Interior Shelving - Adjustable:** (36"x22") F87855A1, (48"x22") F87856A0

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2

**Mobile Cabinet Platforms:** (36") F86678, (48") F86679

## Deluxe Electronic Locking Cabinets

Model #			Width (in)	Height (in)	Shelf Quantity	Shelf Size W x D (in)	Shelf Capacity (lb)	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
Black	Silver	White								
F89358BK	F89358SS	F89358WW	36	78	3	36 x 18	1,000	14	36 x 24 x 78	306
F89356BK	F89356SS	F89356WW	48			48 x 18			48 x 24 x 78	358


**Additional Interior Shelving: Black(BK) and White(WW) Options - Adjustable:** (36"x18") F89377BK & F89377WW, (48"x18") F89376BK & F89376WW

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2



- Virtually manage access and monitor usage.
- Use anywhere with built-in NFC-power (no battery or plug required).
- Access using only your phone; say goodbye to keys.
- Military-level encryption provides optimal security and tracking.
- Bin & Shelf: flush steel doors provide hidden storage of tools.
- Clear-View: clear door panels create clean visibility of supplies.
- Heavy duty 14 gauge steel construction, fully welded.
- Variety of bin and shelf configurations to fit your needs.
- Louvered bin brackets for hanging plastic storage bins.
- Shelves, easily adjustable in 7 3/8" increments, 1,000 lb. capacity each.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

**Styles - Bin & Shelf**




**Styles - Clear-View**



Model #	Style	Width	Style	Shelf		Bin Brackets	Bins	Dimensions W x D x H (in)	Steel Gauge	Weight (lb)	
F86675	Bin & Shelf	36"	Base	-		Full	-	36 x 24 x 78	14	284	
F86674			Shelf Only	4	1,000	-				318	
F86673			Door Bins	4			96: (96) XS			332	
F86672			Half Bins	3		Half	102: (96) XS, (6) XL			350	
F86671			Full Bins	-		Full	138: (96) XS, (24) M, (12) L, (6) XL			346	
F86670		48"	Base	-		Full	-	48 x 24 x 78		352	
F86656			Shelf Only	4	1,000	-				392	
F86668			Door Bins	4			120: (120) XS			410	
F86655			Half Bins	3		Half	126: (120) XS, (6) XL			429	
F86666			Full Bins	-		Full	147: (120) XS, (9) L, (18) XL			431	
F89082		Clear-view	36"	Base	-		Full	-		36 x 24 x 78	256
F89081				Shelf Only	4	1,000	-				290
F89080	Half Bins			3	Half		6: (6) XL		308		
F89079	Full Bins			-			Full		18: (18) XL		304
F89078	48"		Base	-		Full	-	48 x 24 x 78	310		
F89077			Shelf Only	4	1,000	-			350		
F89076			Half Bins	3		Half			6: (6) XL	374	
F89075			Full Bins	-		Full			27: (9) L, (18) XL	368	

**Additional Interior Shelving - Adjustable:** Bin & Shelf; (36"x18") F87854A2, (48"x18") F87845A1, Clear-View; (36"x22") F87855A1, (48"x22") F87856A0  
**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2  
**Mobile Cabinet Platforms:** (36") F86678, (48") F86679





**Pegboard  
Panel**

- Multi-use pegboard cabinets.
- The ultimate tool, organization, and accessibility cabinet.
- Combined storage utilizing shelves, pegboards, and bins.
- Pegboard panels are compatible with all circle pegboard hooks.
- 18" Deep interior shelves included, easily adjustable on  $7\frac{3}{8}$ " increments.
- Louvered bin brackets for hanging included storage bins (select model).
- Full piano hinge doors improve stability and durability.
- Handle with 3-point locking system helps keep items secure, key included.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Tool**



**Bin & Tool**

## Pegboard Cabinets

Model #	Style	Width (in)	Bins	Shelf Quantity	Shelf Capacity (lb)	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
F85881A4	Tool	48	-	4	1,000	14	48 x 24 x 78	405
F85880A5	Bin & Tool		(64) XS	2				385

**Additional Interior Shelving - Adjustable:** (36"x18") F87854A2, (36"x22") F87855A1, (48"x18") F87845A1, (48"x22") F87856A0  
**Mobile Cabinet Platforms:** (36") F86678, (48") F86679



**Deep Door Storage**

- Multi-use utility drawer cabinets.
- Combined storage utilizing shelves, bins, and drawers.
- 4" Deep door design provides added storage, organization, and durability.
- (4) Full-width drawers include drawer divider kits, 100 lb. capacity per drawer.
- Drawer divider kits create up to 25 compartments, customizable in size (as small as 1" x 5").
- (2) 18" Deep interior shelves included, easily adjustable on 7 3/8" increments.
- (12) 4" Deep door shelves included, easily adjustable on 4" increments.
- Louvered bin brackets on top 1/2 of doors and interior for hanging included storage bins.
- Handle with 3-point locking system helps keep items secure, key included.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Drawers**



**Bins**



**Shelves**

## Drawer Cabinets, Deep Door

Model #	Width (in)	Bins	Shelf Quantity	Capacity (lb)		Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
				Interior Shelf	Door Shelf			
F88130A9	36	58: (36)XS, (18)M, (4)L	2 Interior & 12 Door	1,000	100	14	36 x 24 x 72	420
F88128A1	48	72: (56)XS, (8)M, (6)L, (2)XL					48 x 24 x 72	445

**Additional Interior Shelving - Adjustable:** (36"x18") F87854A2, (48"x18") F87845A1

**Additional Door Shelving - Adjustable:** (18"x4") F87103A8, (24"x4") F87997A9

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4



- Reinforced box-formed shelves improve durability.
- Zinc plated handle with 3-point locking system keeps items secure, key included.
- Protect, store, and easily find your tools, parts, and supplies.
- (4) Shelves are easily adjustable on 7 3/8" increments.
- Full piano hinge doors improve stability, durability, and longevity of cabinet.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**3-Point Locking System**



**Reinforced Shelves**

## Heavy Duty Shelf Cabinets

Model #	Size (in)			Shelf Quantity	Shelf Size W x D (in)	Shelf Capacity (lb)	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
	Width	Depth	Height						
F89782A5	36	18	72	4	36 x 16	1,500	14	36 x 18 x 72	240
F89784A3			84					36 x 18 x 84	260
F89780A7		24	72		36 x 22			36 x 24 x 72	275
F89807A3			84					36 x 24 x 84	300
F89808A2	48	24	72		48 x 22			48 x 24 x 72	340
F89809A1			84					48 x 24 x 84	400

**Additional Interior Shelving - Adjustable:** (36x16") F89778A9, (36x22") F89775A3, (48x22") F89772A6





- 12 Gauge steel, fully welded construction.
- Built to last: handles the heaviest tools, parts, and supplies.
- Protect, store, and easily find what you need.
- (4) 6" Tall, 7 gauge steel legs feature predrilled holes for anchoring to the floor.
- Louvered bin brackets on doors used for hanging included plastic storage bins (select models).
- (4) Shelves included, easily adjustable on 4" increments.
- 3-Point locking system with premium padlockable cast handle.
- Doors utilize robust pin hinges for added durability and strength.
- Raised design makes transporting cabinet simple with forklift or pallet jack.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Padlockable  
Cast Handle**



**7 Gauge  
Steel Legs**



**Adjustable  
Shelves**

## 12 Gauge Cabinets

Model #	Width (in)	Door Bin Brackets	Bins	Shelf Quantity	Shelf Size W x D (in)	Shelf Capacity (lb)	Steel Gauge	Dimensions W x D x H (in)	Legs (in)	Weight (lb)
F89164VCGY	36	-	-	4	36 x 22	1,900	12	36 x 24 x 78	6	460
F89162VCGY		Full	64: (32) XS, (32) S		36 x 18					480
F89165VCGY	48	-	-		48 x 22			48 x 24 x 78		555
F89160VCGY		Full	128: (64) XS, (64) S		48 x 18					595
F89163VCGY	60	-	-		60 x 22			60 x 24 x 78		700
F89161VCGY		Full	128: (64) XS, (64) S		60 x 18					740

**Additional Interior Shelving - Adjustable:** (36"x18") F88380, (36"x22") F88379, (48"x18") F88382, (48"x22") F88381, (60"x18") F88384, (60"x22") F88383



- Keep valuable items clean and secure.
- Organize and easily access your supplies.
- Heavy duty 14 gauge steel construction, fully welded.
- Louvered bin brackets for hanging plastic storage bins.
- (3) 18" Deep shelves included, easily adjustable on 7 3/8" increments.
- Louvers on full-length of doors, shelves allow bins on doors to be unobstructed when closed.
- 1,000 lb. capacity per shelf.
- Handle with 3-point locking system keeps items secure, key included.
- Full piano hinge doors improve stability and durability.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Black**




**Silver**



**White**



**Louvered  
Doors**



**3-Point Locking  
System Handle**

## Deluxe Bin & Shelf Cabinets

Model #			Width (in)	Height (in)	Shelf Quantity	Shelf Size W x D (in)	Shelf Capacity (lb)	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
Black	Silver	White								
F89388BK	F89388SS	F89388WW	36	78	3	36 x 18	1,000	14	36 x 24 x 78	302
F89386BK	F89386SS	F89386WW	48			48 x 18			48 x 24 x 78	356

**Additional Interior Shelving: Black(BK), Silver(SS), & White(WW) Options - Adjustable:** (36"x18") F89377BK, F89377SS, & F89377WW, (48"x18") F89376BK, F89376SS, F89376WW

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2



- Organize and easily access your supplies.
- 4" Deep door design provides added storage and durability.
- Heavy duty 14 gauge steel construction, fully welded.
- Louvered bin brackets for hanging plastic storage bins.
- (3) 18" Deep shelves included, easily adjustable on 7 3/8" increments.
- (6) 4" Deep door shelves included, easily adjustable on 4" increments.
- Louvers on the lower half of doors, shelves allow bins on doors to be unobstructed when closed.
- 1,000 lb. capacity per interior shelf, 100 lb. capacity per door shelf.
- Handle with 3-point locking system keeps items secure, key included.
- Robust pin hinge doors provide durability and strength.
- Additional accessories sold separately.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Black**




**Silver**



**White**



**Louvered  
Doors**



**3-Point Locking  
System Handle**


### Deluxe Deep Door Bin & Shelf Cabinets

Model #			Width (in)	Bins	Shelf Quantity	Capacity (lb)		Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
Black	Silver	White				Interior Shelf	Door Shelf			
F89384BK	F89384SS	F89384WW	36	24: (8)XS, (8)S, (6)M, (2)L	3 Interior & 6 Door	1,000	100	14	36 x 24 x 72	420
F89382BK	F89382SS	F89382WW	48						48 x 24 x 72	445



**Additional Interior Shelving: Black(BK), Silver(SS), & White(WW) Options - Adjustable:** (36"x18") F89377BK, F89377SS, & F89377WW, (48"x18") F89376BK, F89376SS, F89376WW

**Optional Drawer Kits (Red) - Adjustable:** 4-Drawer (36"W) F88132A7, 4-Drawer (48"W) F88136A4, 8-Drawer (36") F88134A5, 8-Drawer (48") F88138A2





- Perfect for stationary work environments.
- Organize maintenance shops and production workstations.
- Magnetic closure to easily open/close.
- Flush front presents clean design and eliminates snagging.
- (1) Interior cabinet shelf included, 400 lb. capacity.
- Heavy duty steel construction
- Premium textured powder coat paint finish.
- Mounting hardware included.
- Made in the U.S.A.


**Black**
**Silver**
**White**

## 24" Deluxe Wall Cabinets

Model #			Style	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
Black	Silver	White				
F89443RB	F89443BS	F89443WW	Left Hinge	16	24 x 12 x 24	55
F89442RB	F89442BS	F89442WW	Right Hinge			

## Corner Wall Cabinets

Model #			Style	Steel Gauge	Dimensions W x D x H (in)	Weight (lb)
Black	Silver	White				
F89281RB	F89281BS	F89281WW	Left Hinge	16	21 x 21 x 24	60
F89276RB	F89276BS	F89276WW	Right Hinge			



**24" Wide**  
4 Drawers



**48" Wide**  
4 Drawers + Door



**36" Corner**  
Door

- Perfect for stationary or mobile work environments.
- Organize maintenance shops and production workstations.
- Various drawer/door and color configurations to fit your needs.
- Single point locking mechanism locks/unlocks all drawers.
- Removable side handle included, compatible on either side (extends 4").
- Drawers include premium glides and bearings (100 lb. capacity).
- Additional accessories sold separately.
- Heavy duty steel construction.
- Premium textured powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Door**



**Drawers**

## 24" Deluxe Mobile Workbenches

Model #			Style	Drawer Heights (in)	Dimensions W x D x H (in)	Side Handle (in)	Capacity (lb)	Weight (lb)
Black	Silver	White						
F89606RB	F89606BS	F89606WW	4 Drawers	3,6,6,9	24 x 21 x 36	4	2,000	141
F89611RB	F89611BS	F89611WW	1 Door	-				111

**Drawer Divider Kits:** (8 Compartments) F80130A3, (12 Compartments) F80131A4, (16 Compartments) F80132A5

**Rubber Mat Top:** F89375

## 48" Deluxe Mobile Workbenches

Model #			Style	Drawer Heights (in)	Dimensions W x D x H (in)	Side Handle (in)	Capacity (lb)	Weight (lb)
Black	Silver	White						
F89613RB	F89613BS	F89613WW	4 Drawers + 1 Door	3,6,6,9	48 x 21 x 36	4	2,000	214
F89618RB	F89618BS	F89618WW	8 Drawers	(2) 3,6,6,9				244
F89623RB	F89623BS	F89623WW	2 Doors	-				184

**Drawer Divider Kits:** (8 Compartments) F80130A3, (12 Compartments) F80131A4, (16 Compartments) F80132A5

**Rubber Mat Top:** F89374

## Deluxe Corner Workbenches

Model #			Style	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
Black	Silver	White				
F89188RB	F89188BS	F89188WW	Corner - Left Hinge Door	36 x 36 x 36	2,000	119



**Industrial**

**Bin & Organization**

- Organize maintenance shops and production workstations.
- Perfect for stationary or mobile work environments.
- Various drawer/door configurations to fit your needs.
- Each drawer/door includes individual lock.
- Convenient push/pull handle welded on right side (extends 5").
- Drawers include premium glides and bearings (100 lb. capacity).
- Raised back lip helps keep items contained.
- Heavy duty steel construction.
- Premium powder coat paint finish in gray (Industrial) and red (Bin & Organization).
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**23"**



**36"**



**46"**

## Industrial Mobile Workbenches

Model #	Width (in)	Style	Casters	Steel Gauge	Dimensions W x D x H (in)	Side Handle (in)	Capacity (lb)	Weight (lb )
F81842A7	23	2 Drawers + Door	(4) 5" Mold-On: 2 Rigid, 2 Swivel	14	23 x 20 x 34	5	1,400	120
F81843A6		4 Drawers						130
F81838A3	36	2 Doors			36 x 22 x 36			160
F81835A6		4 Drawers + Door						180
F81837A4	46	2 Doors			46 x 22 x 36			165
F81834A7		4 Drawers + Door						185

## Bin & Organization Mobile Workbenches

Model #	Width (in)	Bins	Casters	Steel Gauge	Dimensions W x D x H	Side Handle (in)	Capacity (lb)	Weight (lb)
F83892A2	36	12 XS	(4) 5" Mold-On Rubber: 2 Rigid, 2 Swivel	14	36 x 22 x 36	5	1,400	175
F83893A1	46	24 XS			46 x 22 x 36			193

Includes non-slip vinyl mat top for added protection.





- Organize your mobile work area.
- Ideal for shipping, receiving, and other warehouse locations.
- Individual locking storage compartments provide added security for documents or valuables.
- Tech style desks have a built-in power strip and monitor mount to accommodate computer and electronic accessories.
- Heavy duty steel construction with solid welds for superior durability.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Shop**  
Industrial



**Shop**  
Deluxe



**Tech**  
Industrial



**Tech**  
Deluxe

## Mobile Shop Desks

Model #	Style	Type	Casters	Steel Gauge	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F85827A0	Shop	Industrial	(4) 3" Solid Rubber: 2 Front Swivel, 2 Rear Locking Swivel	16	23 x 20 x 51	400	70
F85829A8		Deluxe	(4) 5" Mold-On Rubber: 2 Front Locking Swivel, 2 Rear Rigid			1,000	150
F86677	Tech	Industrial	(4) 5" Rubber: 2 Front Locking Swivel, 2 Rear Swivel		28 x 29 x (48-55)	800	100
F86676		Deluxe			28 x 21 x (40-50)	1,000	150



- Ergonomic adjustable height steel work tables.
- Mobile option provided for versatile workstations.
- Height adjustable from 26-42", on 2" increments.
- Legs fold down for easy transport or storage.
- Quick and easy assembly, hardware pack included.
- Steel tops includes fully welded channels underneath with 2 support braces.
- Premium leveling feet included on standard models.
- Mobile work tables maneuver on (4) 3" polyolefin locking swivel casters.
- Optional hard wood top available for all models.
- Optional lower stringer shelf available for 120" length models only (sold separately).
- Heavy duty 14 gauge steel construction.
- Premium powder coat paint finish.
- Made in the U.S.A.



**Adjustable Height Legs**



**Leveling Feet**

**Locking Casters**



**Steel Top**

**Wood Top**

## Adjustable Height Work Tables

Model #		Width (in)	Depth (in)	Steel Gauge	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)	Hardwood Top Option	
Standard	Mobile							Standard	Mobile
F87857A3	F88030A8	84	28	14	84 x 28 x (26 - 42)	2,000	110	F87866A4	F88021A7
F87858A2	F88029A9		34		84 x 34 x (26 - 42)		125	F87867A3	F88020A8
F87859A1	F88028A0		48		84 x 48 x (26 - 42)		161	F87868A2	F88019A9
F87860A0	F88027A1	96	28		96 x 28 x (26 - 42)		120	F87869A1	F88018A0
F87861A9	F88026A2		34		96 x 34 x (26 - 42)		136	F87870A0	F88017A1
F87862A8	F88025A3		48		96 x 48 x (26 - 42)		175	F87871A9	F88016A2
F87863A7	F88024A4	120	28		120 x 28 x (26 - 42)		155	F87872A8	F88015A3
F87864A6	F88023A5		34		120 x 34 x (26 - 42)		175	F87873A7	F88014A4
F87865A5	F88022A6		48		120 x 48 x (26 - 42)		225	F87874A6	F88013A5

**Stringer Shelf:** F86295A4 - optional stringer shelf for 120" width models.




- Fully welded 12 gauge steel construction.
- Built for the most rugged environments and applications.
- Full-length 18" deep lower shelf for additional storage.
- Reinforced welded channels under top provide additional strength.
- Heavy duty 2" thick legs provide maximum stability.
- Feet feature predrilled holes for mounting to floor (optional).
- Variety of sizes to fit your space and needs.
- Virtually indestructible.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Reinforced Support Channels**



**Predrilled Mounting Feet**



**Lower Storage Shelf**

### Welded Work Tables

Model #	Width (in)	Depth (in)	Steel Gauge	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F89575	48	30	12	48 x 30 x 34	3,000	135
F89574	60			60 x 30 x 34		160
F89573	72			72 x 30 x 34		175







- Customizable mobile solution for organizing tools and supplies.
- Back-to-back panels: louvered or pegboard options.
- Louvered panels used to hang plastic storage bins.
- Pegboard panels used with hooks for hanging tools and supplies.
- 11" of deck space on each side of panel with 1½" lip to keep items secure.
- Accessory options include end panels and bins.
- Premium powder coat paint finish in gray, blue, or red.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**A-Frame  
Configuration**  
Standard



**T-Frame  
Configuration**  
One End  
Panel



**H-Frame  
Configuration**  
Two End  
Panels

## Bin & Tool A-Frame Carts

Model #			Panel Configuration	Casters	Steel Gauge	Capacity (lb)	Dimensions L x W x H (in)	Weight (lb)
Blue	Red	Gray						
F89552B	F89552R	F89552	Bin: 2 Louvered	(4) 5" Phenolic: 2 Rigid, 2 Locking Swivel	12	1,000	36 x 30 x 62	140
F89548B	F89548R	F89548					48 x 30 x 62	170
F89550B	F89550R	F89550	Tool: 2 Pegboard				36 x 30 x 62	130
F89546B	F89546R	F89546					48 x 30 x 62	160
F89551B	F89551R	F89551	Bin & Tool: 1 Louvered, 1 Pegboard				36 x 30 x 62	135
F89547B	F89547R	F89547					48 x 30 x 62	165

**Pegboard End Panel:** (Blue) F89536B, (Red) F89536R, (Gray) F89536.



**Double-Sided**



**Single-Sided**

- Customizable mobile solutions for workstations or storage spaces.
- Pre-configured units with shelving offered, or choose to customize a base unit yourself.
- Variety of sizes and configurations to fit your space and needs.
- Standard trays feature a flush front for easy loading/unloading.
- Lipped trays feature a front raised lip that secures parts and supplies.
- Accessory options include trays, tray dividers, hanger bars, spindles, and bins.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Standard Tray**  
Lipped Front  
36 x 9 x 3"



**Large Tray**  
Standard Front  
36 x 15 x 6"



**Hanger Bar**  
with (6) Spindles

## Heavy Duty A-Frame Carts

Model #	Style	Tray Options		Casters	Steel Gauge	Capacity (lb)	Dimensions L x W x H (in)	Weight (lb)				
		Size	Front									
F89068VCGY	Single-sided	Standard (9")	Standard	(4) 5" Phenolic: 2 Rigid, 2 Locking Swivel	12	2,500	38 x 25 x 63	130				
F89070VCGY			Lipped					142				
F89069VCGY		Large (15")	Standard					170				
F89071VCGY			Lipped					182				
F89064VCGY	Double-sided	Standard (9")	Standard				(4) 5" Phenolic: 2 Rigid, 2 Locking Swivel	12	2,500	38 x 30 x 63	210	
F89066VCGY			Lipped								251	
F89065VCGY		Large (15")	Standard							38 x 42 x 63	255	
F89067VCGY			Lipped								279	
F81813A4	Single-sided	Build-Your-Own Base Models								38 x 25 x 63	90	
F81814A3	Double-sided										38 x 30 x 63	95

**Tray:** (Flush) F81819A5, (Lipped) F81817A7, Additional standard trays.

**Hanger Bar:** Model # F81820A3.

**Large Tray:** (Flush) F81818A6, (Lipped) F81816A8, Additional large trays.

**Spindle:** Model # F81821A2.

**Tray Dividers:** Model # F85825A2, 9" Tray dividers.

**Large Tray Dividers:** Model # F85826A1, 15" Tray dividers.



- Ideal for storing and transporting a variety of products and supplies.
- Welded steel wire grid panels (2x2") provide visibility and ventilation.
- Premium powder coat paint finish in gray, blue, or red.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



## Platform Cage Carts

- 3 or 4-sided options available.
- Dual-sided, full-length handles extend 4" for ergonomic handling.
- 4-Sided option includes an easy fold down side panel that simplifies access while still securing items.



## Stock Picking Cage Carts

- 2 or 3-sided options available.
- Steel shelves available for versatile storage, adjustable on 2" increments.
- 2-Sided option includes a full-length hanging rod for added functionality and stability.

## Platform Cage Carts

Model #			Side Configuration	Base Size L x W (in)	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
Gray	Blue	Red					
F80125VCGY	F80125VCBL	F80125VCRD	3-Sided	48 x 24	52 x 24 x 37	2,000	91
F80118VCGY	F80118VCBL	F80118VCRD		60 x 30	64 x 30 x 37		101
F80126VCGY	F80126VCBL	F80126VCRD	4-Sided	48 x 24	52 x 24 x 37		118
F80119VCGY	F80119VCBL	F80119VCRD		60 x 30	64 x 30 x 37		131

## Stock Picking Cage Carts

Model #			Side Configuration	Base Size L x W (in)	Shelf Options	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
Gray	Blue	Red						
F89254VCGY	F89254VCBL	F89254VCRD	2-Sided	57 x 30	-	57 x 30 x 68	2,000	135
F89729VCGY	F89729VCBL	F89729VCRD			(1) Shelf			155
F89057VCGY	F89057VCBL	F89057VCRD			(2) Shelves			175
F89256VCGY	F89256VCBL	F89256VCRD	3-Sided		-			160
F89726VCGY	F89726VCBL	F89726VCRD			(1) Shelf			180
F89054VCGY	F89054VCBL	F89054VCRD			(2) Shelves			200



- Ideal for secure storage and transportation of supplies or products.
- Welded steel wire grid panels (2x2") provide visibility and ventilation while maintaining security.
- Dual hinged easy-swing doors.
- Flush mount T-handle with 3-point steel locking system.
- Ergonomic full width removable end handle extends 3" for simple push/pull maneuvering.
- Optional steel shelves available, adjustable on 2" increments.
- Premium powder coat paint finish in gray, blue, or red.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Flush Mount  
Locking T-Handle**



**Removable  
Push/Pull Handle**



**Rigid/Locking Swivel  
8" Casters**

## Security Carts

Model #			Base L x W (in)	Shelf Option	Steel Gauge	Capacity (lb)	Dimensions L x W x H (in)	Weight (lb)
Gray	Blue	Red						
F89557VCGY	F89557VCBL	F89557VCRD	48 x 24	-	12	2,000	51 x 24 x 66	216
F89063VCGY	F89063VCBL	F89063VCRD		(1) Shelf				242
F89062VCGY	F89062VCBL	F89062VCRD		(2) Shelves				268
F89483VCGY	F89483VCBL	F89483VCRD	48 x 30	-			51 x 30 x 66	251
F89061VCGY	F89061VCBL	F89061VCRD		(1) Shelf				285
F89060VCGY	F89060VCBL	F89060VCRD		(2) Shelves				319
F89556VCGY	F89556VCBL	F89556VCRD	60 x 30	-			63 x 30 x 66	271
F89059VCGY	F89059VCBL	F89059VCRD		(1) Shelf				313
F89058VCGY	F89058VCBL	F89058VCRD		(2) Shelves				355

**Fork Pockets:** Blue F89558B, Red F89558R, Gray F89558

**Hitch System:** Blue F89560B, Red F89560R, Gray F89560

**Removable Handle:** 24"W F89553, 30"W F89554

**Additional Shelves:**

**(48 x 24")** Blue F89718A1, Red F89718A3, Gray F89718A4

**(48 x 30")** Blue F89719VCBL, Red F89719VCRD, Gray F89719VCGY

**(60 x 30")** Blue F89714A1, Red F89714A3, Gray F89714A4





- Ideal for stocking, picking, and transporting.
- 2, 3, and 4-shelf cart options to fit your needs.
- 1½" Lip helps contain parts and packages.
- Flat top option provides easy handling for oversized products.
- Fully welded, heavy duty 12 gauge steel construction.
- Ergonomically designed welded push bar handle extends 4½".
- Premium powder coat paint finish in gray, blue, or red.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## Utility Shelf Carts

Model #			Style	Shelf Size L x W (in)	Top Shelf Option	Casters	Capacity (lb)	Dimensions L x W x H (in)	Weight (lb)
Gray	Blue	Red							
F89184GYPY	F89184BUPY	F89184RDPY	2-Shelf	36 x 18	Standard	(4) 5" Polyurethane: 2 Rigid, 2 Locking Swivel	2,000	41 x 18 x 36	67
F89183GYPY	F89183BUPY	F89183RDPY			Flat				
F89226GYPY	F89226BUPY	F89226RDPY		36 x 24	Standard			41 x 24 x 36	81
F89224GYPY	F89224BUPY	F89224RDPY			Flat				
F89225GYPY	F89225BUPY	F89225RDPY		48 x 24	Standard			53 x 24 x 36	100
F89223GYPY	F89223BUPY	F89223RDPY			Flat				
F89182GYPY	F89182BUPY	F89182RDPY		48 x 30	Standard			53 x 30 x 36	118
F89181GYPY	F89181BUPY	F89181RDPY			Flat				
F89180GYPY	F89180BUPY	F89180RDPY		60 x 30	Standard			65 x 30 x 36	141
F89179GYPY	F89179BUPY	F89179RDPY			Flat				
F89178GYPY	F89178BUPY	F89178RDPY	3-Shelf	36 x 18	Standard		2,000	41 x 18 x 36	90
F89177GYPY	F89177BUPY	F89177RDPY			Flat				
F89222GYPY	F89222BUPY	F89222RDPY		36 x 24	Standard			41 x 24 x 36	111
F89220GYPY	F89220BUPY	F89220RDPY			Flat				
F89221GYPY	F89221BUPY	F89221RDPY		48 x 24	Standard			53 x 24 x 36	139
F89219GYPY	F89219BUPY	F89219RDPY			Flat				
F89176GYPY	F89176BUPY	F89176RDPY		48 x 30	Standard			53 x 30 x 36	167
F89175GYPY	F89175BUPY	F89175RDPY			Flat				
F89174GYPY	F89174BUPY	F89174RDPY		60 x 30	Standard			65 x 30 x 36	202
F89173GYPY	F89173BUPY	F89173RDPY			Flat				
F89172GYPH	F89172BUPH	F89172RDPH	4-Shelf	36 x 24	Standard	(4) 5" Phenolic: 2 Rigid, 2 Locking Swivel	3,600	41 x 24 x 56	162
F89171GYPH	F89171BUPH	F89171RDPH			Flat				
F89170GYPH	F89170BUPH	F89170RDPH		48 x 24	Standard			53 x 24 x 56	200
F89169GYPH	F89169BUPH	F89169RDPH			Flat				
F89229GYPH	F89229BUPH	F89229RDPH		48 x 30	Standard			53 x 30 x 56	237
F89246GYPH	F89246BUPH	F89246RDPH			Flat				
F89168GYPH	F89168BUPH	F89168RDPH		60 x 30	Standard			65 x 30 x 56	283
F89167GYPH	F89167BUPH	F89167RDPH			Flat				



- Ideal for transporting a variety of material via pull behind trailer.
- Use individually or link multiple trailers together.
- 4-Wheel precision track quad-steering.
- Quad-steer design enables tighter turns.
- Track around corners with the smallest footprint.
- Most precise tracking trailers in the industry.
- Heavy duty steel construction.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## Quad-Steer Trailers

Model #	Capacity (lb)	Deck Size L x W (in)	Wheels	Hitch Type	Steel Gauge	Dimensions L x W x H (in)	Weight (lb)
F89321	1,000	60 x 36	(4) 12" Pneumatic	Pin & Clevis	14	91 x 36 x 16	190
F83978	2,000	96 x 48	(4) 16" Pneumatic			127 x 48 x 19	334
F83993	4,000			Ring & Pintle		134 x 48 x 22	540
F83997	6,000		(4) 20" Pneumatic		12	134 x 49 x 24	681

## Build Your Own Quad-Steer Trailer

Choose a component from each category:

Deck		
Size L x W (in)	Capacity (lb)	Model #
60 x 36	2,000	F68932A4
	4,000	F68818A6
72 x 36	2,000	F68933A5
	4,000	F68819A7
	6,000	F68822A0
96 x 48	2,000	F68935A7
	4,000	F68821A9
	6,000	F68859A3

+

Wheels (qty 4)		
Poly	Pneumatic	Foam Filled
F63725A8	F63726A7	F63670A4
F63725A8	F68805A3	F63670A4
F63725A8	F63726A7	F63670A4
F63725A8	F68805A3	F63670A4
F63725A8	F68803A1	F68802A0
F63725A8	F63726A7	F63670A4
F63725A8	F68805A3	F63670A4
F63725A8	F68803A1	F68802A0

+

Hitch	
Pin & Clevis	Ring & Pintle
F68809A7	F68807A5
F68809A7	F68807A5
F68809A7	F68807A5
F68809A7	F68807A5
F68809A7	F68807A5
F68809A7	F68807A5
F68809A7	F68807A5
F68809A7	F68807A5





- Perfect solution for collecting, storing, and transporting a variety of heavy material or scrap.
- Used throughout production, fulfillment, maintenance, and other departments.
- Tapered edges for easy loading and unloading.
- Dual steel handles for simple handling.
- Leak-proof continuous solid welds.
- Hemmed top edge provides increased durability.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**3-Wheel  
Single Taper**



**3-Wheel  
Dual Taper**



**4-Wheel  
Dual Taper**

## Chip Trucks

Model #	Capacity (cu ft)	Style	Wheels	Steel Gauge	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
F85056A9	9	3-Wheel - Single Taper	(3) 8" Rubber: 2 Rigid, 1 Locking Swivel	14	48 x 24 x 39"	1,000	135
F85096A1	11	3-Wheel - Dual Taper			66 x 24 x 39	1,500	145
F85142A5	14	4-Wheel - Dual Taper	(4) 8" Rubber: 2 Rigid, 2 Locking Swivel		66 x 30 x 39	2,000	175
F85161A1	17				66 x 36 x 39	2,000	185



- Ideal for storing, transporting, and dumping a variety of material.
- Fork pockets allow for efficient forklift transportation.
- Full width handle for easy push/pull maneuvering.
- Use individually or in tandem with Forklift Attachment for Hydraulic Powered Self-Dumping System.
- Heavy duty 14 gauge steel construction.
- Leak-proof continuous solid welds.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**1/2 Cubic Yards**



**1 Cubic Yards**

## Mobile Hoppers, Forkliftable

Model #	Capacity (cu yd)	Fork Pocket Size L x W x H (in)	Distance Between Fork Pockets (in)	Casters	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
F89679	1/2	30 x 6 x 2 1/4	19 1/4	(4) 6" Phenolic: 2 Rigid, 2 Swivel	49 x 32 x 30	2,000	150
F89680	1				56 x 32 x 45		210


Distance Between Fork Pockets is measured center to center.






- Forklift attachment used in tandem with Valley Craft Mobile Hoppers (½ and 1 cubic yard).
- Simply transport and dump multiple hoppers using just one forklift attachment.
- Fully powered unit eliminates the need for manual assisting dumps.
- Improves safety while increasing productivity when transporting and dumping material.
- Assists facilities with OSHA compliance and LEAN initiatives.
- Start & stop at any point during dumping/retracting process.
- Secure unit to forklift forks with built-in T-bolts.
- Connect unit by attaching included quick-connect couplers to forklift auxiliary circuit.
- Control unit ergonomically by using convenient forklift controls.
- Quick 5 second cycle time.
- Heavy duty, fully welded steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

### Step 1



Insert forks & secure with safety chain. Connect couplers to forklift auxiliary circuit.

### Step 2



Roll mobile hopper into forklift attachment to engage secure latching system.

### Step 3



Operate powered system using convenient forklift controls.

## Forklift Attachment for Powered Dumping System

Model #	Power Source	Dump Angle	Fork Pocket Size L x W x H (in)	Distance Between Fork Pockets (in)	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
F89681	Forklift	91°	31⅜ x 6½ x 2½	27½	43 x 41 x 14	2,000	265


## Mobile Hoppers for Powered Dumping System

Model #	Capacity (cu yd)	Casters	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
F89679	½	(4) 6" Phenolic: 2 Rigid, 2 Swivel	49 x 32 x 30	2,000	150
F89680	1		56 x 32 x 45		210



- Improves safety while increasing productivity when transporting and dumping material.
- Forklift powered unit eliminates the need for manual latches, pull cords, and manipulation.
- Start & stop at any point during dumping/retracting process.
- Secure unit to forklift using included safety chain.
- Connect unit by attaching included quick-connect couplers to forklift auxiliary circuit.
- Control unit ergonomically by using convenient forklift controls.
- Leak-proof with continuous solid welds.
- Assists facilities with OSHA compliance and LEAN initiatives.
- Quick 5 second cycle time.
- Heavy duty steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

**Step 1**



Insert forks into fork pockets & secure with safety chain.

**Step 2**



Fix quick-connect couplers to forklift auxiliary circuit.

**Step 3**



Operate powered hopper using forklift controls.

### Powered Self-Dumping Hoppers

Model #	Capacity		Power Source	Steel Gauge	Dimensions L x W x H (in)	Weight (lb)
	(cu yd)	(lb)				
F89144	1	2,000	Forklift	12	66 x 36 x 49	577
F89143		4,000		10		637
F89142		6,000		7		725
F89141	2	2,000		12	69 x 57 x 52	692
F89140		4,000		10		781
F89139		6,000		7		912

**Optional Caster Pack:** F10515A4, includes (4) 6" phenolic casters: 2 swivel, 2 rigid.




- Efficiently dump a variety of gaylords, totes, crates, tubs, and other containers.
- Reduce need for manual lifting, bending, and loading.
- Effortlessly dump material with improved efficiency and reduced fatigue or injury.
- Spring-loaded hold down bar compatible with containers 30" to 56" in height, adjustable on 2" increments.
- Operate using convenient handheld pendant with magnetic back, controlling the 3 phase 60 hertz, 460 volt motor.
- 60 second powered dump cycle, with gravity return.
- Heavy duty 7 gauge steel construction, with structural steel frame.
- Unit bolts directly to the floor to ensure safety and stability throughout operation.
- Simply load containers by hand or using standard pallet jack (Models with 72"H at 4K & 6K lb. capacities have a 12" raised chute that requires forklift loading).
- Smooth operation utilizing dual flow hydraulic control valve system.
- Side guard accessory sold separately.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

Model #		Chute Size W x D (in)	Dump Height (in)	Capacity (lb)	Dump Angle	Dimensions W x D x H (in)	Weight (lb)	Side Guard Accessory
460V	230V							
F80193A3	F89036	36 x 36	36	2,000	45°	51 x 50 x 66	1,210	F89041
F80192A2	F89035			4,000		51 x 62 x 66	1,515	F89037
F80191A1	F89034			6,000				
F80190A0	F89033		48	2,000		51 x 50 x 72	1,320	F89041
F80189A9	F89032			4,000		51 x 62 x 72	1,670	F89037
F80188A8	F89031			6,000				
F80187A7	F89030		60	2,000		51 x 50 x 72	1,230	F89039
F80186A6	F89029			4,000		51 x 62 x 72	1,620	F89038
F80185A5	F89028			6,000				
F80175A5	F89027		72	2,000		51 x 50 x 84	1,360	F89039
F80174A4*	F89026*			4,000		51 x 62 x 84	1,730	F89038
F80173A3*	F89025*			6,000				
F80184A4	F89024	51 x 48	36	2,000	45°	66 x 63 x 66	1,470	F89041
F80183A3	F89023			4,000		66 x 63 x 66	1,860	F89037
F80182A2	F89022			6,000				
F80181A1	F89021		48	2,000		66 x 63 x 72	1,590	F89041
F80180A0	F89020			4,000		66 x 63 x 72	2,025	F89037
F80179A9	F89019			6,000				
F80178A8	F89018		60	2,000		66 x 63 x 72	1,665	F89040
F80177A7	F89017			4,000		66 x 63 x 72	1,975	F89038
F80176A6	F89016			6,000				
F80172A2	F89015		72	2,000		66 x 62 x 84	1,860	F89040
F80171A1*	F89014*			4,000				
F80170A0*	F89013*			6,000		66 x 62 x 84	2,100	F89038

\*12" raised chute requires forklift loading.



- Efficiently dump a variety of material.
- Improve safety by utilizing a powered lift and dump.
- Available as a stationary or portable unit.
- Used with variety of drums up to 25" diameter and 26" to 43" in height.
- Compatible with steel, plastic, and fiber drums.
- Hold down bar secures drum, adjustable on 1½" increments.
- Operate using convenient handheld pendant with magnetic back, controlling the 20 amp, 110 volt motor.
- Heavy duty steel chute with fully welded steel frame.
- Predrilled mounting holes provide ability to bolt unit to the floor for added stability.
- Simply load containers at floor level.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Hold Down Bar**



**Handheld Pendant**



**Hydraulics**

## Drum Dumpers

Model #	Dump Height (in)	Base	Drum Capabilities (in)			Casters	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
			Type	Diameter	Height				
F80163A3	36	Stationary	Universal	up to 25	26 - 43	-	52 x 36 x 60	1,500	450
F80162A2		Portable				(4) 3" Phenolic: 2 Swivel, 2 Rigid	52 x 36 x 60		480
F80161A1	48	Stationary				-	52 x 36 x 66		490
F80160A0		Portable				(4) 3" Phenolic: 2 Swivel, 2 Rigid	52 x 36 x 66		520
F80159A9	60	Stationary				-	52 x 36 x 72		520
F80158A8		Portable				(4) 3" Phenolic: 2 Swivel, 2 Rigid	52 x 36 x 72		550





- Effortlessly lift, transport, and store drums throughout facilities.
- Variety of styles to accommodate steel, plastic, and fiber drums.
- Built-in T-bolts screw down to secure unit to forklift forks.
- Up to 1,500 lb. capacity.
- Heavy gauge steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



### Steel

**Economy:** knuckle-gripping jaws secure steel drums using natural pressure when lifting.

**Industrial:** cam-actuated jaws secure steel drums automatically when lifting.

**Deluxe:** secure grip, padded cam-actuated jaws secure steel drums automatically when lifting.



### Plastic

**Deluxe:** secure grip, padded cam-actuated jaws secure plastic drums automatically when lifting.




### Universal

**Beak:** spring-loaded beak offers hand-free operation.

**Strap:** dual ratchet straps conform to container for maximum security.

## Mechanical Drum Forklift Attachments

Model #	Style	Drum Capability			Fork Pocket Size L x W x H (in)	Distance Between Fork Pockets (in)	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
		Type	Gallons	Diameter (in)					
F87398A2	Economy	Steel	55	24	16 <sup>3</sup> / <sub>4</sub> x 5 <sup>5</sup> / <sub>8</sub> x 1 <sup>5</sup> / <sub>8</sub>	14	36 x 22 x 4	800	53
F89743	Industrial		30/55	18 or 24			36 x 24 x 7	1,500	90
F86145B0	Deluxe		30/55/85	18 - 28		13 - 25	31 x (25 - 37) x 7	1,500	103
F86165A5	Deluxe	Plastic	55	24	16 <sup>3</sup> / <sub>4</sub> x 5 <sup>5</sup> / <sub>8</sub> x 1 <sup>5</sup> / <sub>8</sub>	13 - 25	31 x (25 - 37) x 7	1,000	103
F85370A0	Beak	Universal	30/55/85	-	17 x 6 <sup>1</sup> / <sub>2</sub> x 1 <sup>3</sup> / <sub>4</sub>	15	23 x 24 x 38	1,000	125
F80147A7	Strap		30/55	14 - 24	18 x 5 <sup>5</sup> / <sub>8</sub> x 1 <sup>5</sup> / <sub>8</sub>	15 <sup>1</sup> / <sub>2</sub>	24 x 22 x 11		67



- Quickly and ergonomically transport, tilt, rotate, dump, and store drums.
- Compatible with steel, plastic, and fiber drums (18-28" in diameter).
- Hydraulic actuated jaws with adjustable pressure gauge.
- Variable speed control.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



## Power Source

**Forklift:** quick-connect to forklift auxiliary, operate using forklift controls.

**Battery:** corded pendant remote (wireless remote options sold separately).




### Clamp

Powered grip & release



### Tilt

120° forward tilt



### Rotate

360° rotation

## Powered Drum Forklift Attachments

Model #	Style	Clamp	Forward Tilt	Rotate	Power Source	Tilt Angle	Rotation		Capacity (lb)	Dimensions L x W x H (in)	Weight (lb)	
							Angle	Speed				
F89704	Maxi Grip				Forklift	-	-		2,000	60 x 33 x 14	422	
F89705					Battery					60 x 33 x 17	639	
F89700	Versa Grip				Forklift	120°				67 x 33 x 19	572	
F89701					Battery					67 x 33 x 17	779	
F89702	Hydra Grip				Forklift	-	360° in both directions	6 rpm		68 x 33 x 19	560	
F89703					Battery					68 x 33 x 17	773	
F89815A5	Ultra Grip				Battery	120°						69 x 33 x 17

**Optional Wirelss Remotes for Battery Powered Units:** Maxi Grip Remote F89133, Versa Grip Remote F89158, Hydra Grip Remote F89157, Ultra Grip Remote F89074.



- Ideal for picking drums from pallets and spill containment platforms.
- Safely and ergonomically lift and maneuver drums throughout facility.
- Reduce worker fatigue or possible injury.
- Single mast design for maximum visibility.
- Heavy duty wheels create easy mobility for heavy loads.
- Backplate makes attachments interchangeable (additional attachments sold separately).
- Heavy gauge steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



## Connection

**Beak:** spring-loaded, hands-free chime hook.

**Strap:** dual ratchet straps.

**Cylinder:** expanded cradle with dual ratchet straps.



## Base

**Industrial:** fixed legs easily fit around corner of pallets.

**Deluxe:** telescoping legs extend for improved stability, and retract to fit through tight openings.



## Lift

**Industrial:** compact manual hand pump.

**Deluxe:** pallet jack style handle pump.

## Drum Lifts and Transporters

Model #	Style	Connection	Drum Capability			Handle/Pump	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
			Type	Gallons	Diameter (in)				
F88575C5	Industrial	Beak	Universal	30/55/85	-	Hand Pump	50 x 35 x 62	800	235
F88577B3		Strap		30/55	14 - 24				255
F88576B4		Cylinder	Cylinder	-	9 - 18				240
F89265	Deluxe	Beak	Universal	30/55/85	-	Pallet Jack Style	(37-51) x (25-32) x 63	800	245
F89264		Strap		30/55	14 - 24				265
F89263		Cylinder	Cylinder	-	9 - 18				250

**Additional (Interchangeable) Attachments:** F69471A7 Beak, F64657A7 Strap, F69282A7 Cylinder



- Ergonomically lift and rotate drums to transport or dump material.
- Easily maneuver steel, plastic, and fiber drums throughout facilities.
- Rotate drums 360° continuously in either direction.
- 800 lb. capacity.
- Standalone unit (no forklift required).
- Heavy gauge steel construction.
- Optional floor lock available (sold separately).
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



## Style

**Manual:** manual lift (foot pump) and rotate (hand crank); manual drive.

**Semi-Powered:** battery powered lift and rotate; manual drive.

**Fully Powered:** battery powered drive, lift, and rotate.

## Connection

**Strap:** manual dual ratchet straps for securing drums.

**Grip:** easy-to-use powered jaws for securing drums.

## Base

**Straddle:** extended legs go under pallets or shelving.

**Counterweighted:** ability to butt directly up to platforms.

## Drum Lifts and Rotators

Style	Strap Connection				Grip Connection			
	Straddle		Counterweighted		Straddle		Counterweighted	
	78" H	90" H	78" H	90" H	78" H	90" H	78" H	90" H
Manual	F88563B9	F88564B8	F88580B8	F88581B7	-			
Semi-Powered	F88565C7	F88566C6	F88569C3	F88570C0	F88585C3	F88586C2	F88587C1	F88588C0
Fully Powered	F89838A2	F89837A1	F89832A5	F89831A4	F80144A7	F80143A6	F80146A9	F80145A8

**Straddle Floor Lock:** Model # F89410A2, optional floor lock for straddle models

**Counterweighted Floor Lock:** Model # F89413A9, optional floor lock for counterweighted models





- Solves a variety of material handling needs with one base unit.
- Base unit works with a variety of optional attachments.
- Platforms, forks, and drum attachments available; interchangeable.
- Ergonomically lift and/or rotate a variety of material.
- Easily maneuver supplies throughout facilities.
- Lift up to 84" in less than 30 seconds.
- Standalone unit (no forklift required).
- Fully powered options have up to 2.5 MPH of drive speed.
- Fully and Semi-Powered units have a lift speed of 3.4" per second.
- Heavy gauge steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Accessory Attachment  
Backplate**



**Hydraulic Lift  
Operation**

## Steel Lifts

Model #	Style	Base	Height (in)	Lift (in)		Power Source		Wheels	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
				Height	Distance	Drive	Lift				
F88567B5	Manual	Straddle	78	71	58	Manual	Manual	(2) 6" Wheels & (2) 4" Casters: 2 Rigid, 2 Swivel	43 x 30 x 78	800	355
F88568B4			90	84	71				43 x 30 x 90		380
F88553C1	Semi-Powered		78	71	58		12V Battery		43 x 30 x 78		465
F88561C1			90	84	71				43 x 30 x 90		490
F87022B6			78	71	58		Pneumatic		43 x 30 x 78		355
F87040B4			90	84	71				43 x 30 x 90		380
F80136A9	Fully Powered	Counter-weighted	78	71	58	24V Battery	24V Battery	(2) 5" Front & (1) 12" Power: 2 Rigid, 1 Power	47 x 32 x 78	1,000	1,130
F80135A8			90	84	71				47 x 32 x 90		1,165



**Drum Grip**



**Drum Beak**




**Drum Rotator**



**Drum Tilter**



**Pallet Forks**



**Steel Platform**

Interchangeable accessory options work seamlessly with all Steel Lift models.

### Drum Grip

- Jaws automatically adjust to grip around drum.
- Secure drum for transport by raising unit to snug jaws under top lip.

### Drum Beak

- Safe spring-loaded, hands-free grip connection.

### Drum Rotator

- Ergonomically lift and rotate drums to transport or dump material.
- 360° continuous rotation in either direction.

### Drum Tilter

- Ergonomically lift and tilt drums to transport or dump material.
- 120° rotation, using hand crank with fixed point and ball screw.

### Pallet Forks

- Easily move, elevate, and stack pallets.
- 24" fork length.

### Steel Platform


- Flat platform for raising and moving a variety of material.
- Elevate work material to ergonomic positioning.
- Used in conjunction with Pallet Forks attachment (sold separately).

## Steel Lift Accessories

Model #	Description	Drum Capability			Size (in)	Capacity (lb)	Weight (lb)
		Type	Gallon	Diameter (in)			
F86146A9	Drum Grip	Universal	30/55/85	18 - 28	-	800	110
F88560A2	Drum Beak						48
F89156	Drum Rotator		30/55	14 - 24			151
F89409A5	Drum Tilter						70
F89406A8	Pallet Forks	-	-	-	24		50
F89418A4	Steel Platform				24 x 24		20



- Efficiently transport drums and barrels throughout facilities or on the go.
- Compatible with 30 and 55 gallon drums: steel, plastic, and fiber.
- Ergonomic design with rubber grip twin handles and full loop handle.
- Hand brake option gives operators added control and safety.
- Standard universal chime hook is spring-loaded with a hands-free connection.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



## Material

**Steel:** robust frame for heavy duty, rigorous applications.

**Aluminum:** lightweight frame for easy handling and spark resistant.



## Style

**2-Wheel:** standard heavy duty operation, best seller.

**4-Wheel:** designed to improve control, maneuverability, and safety.



## Wheels

**Pneumatic:** heavy duty; transport loads over a variety of surfaces easily.

**Solid Rubber:** heavy duty; long lasting, and maintenance free.

**Mold-On Rubber:** economical; used on hard surfaced indoor settings.

## Drum Hand Trucks

Model #		Style	Brake	Wheels	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)	
Steel	Aluminum						Steel	Aluminum
F81600A9	F81500A0	2-Wheel	-	(2) 12" Pneumatic	26 x 18 x 52	1,000	70	45
F81735A7	F81625A0			(2) 10" Solid Rubber	25 x 18 x 52		70	45
F81895A3	F81770A3			(2) 10" Mold-On Rubber	25 x 18 x 52		70	45
F82025A4	F81925A7		Hand Brake	(2) 12" Pneumatic	26 x 18 x 52		75	50
F82150A1	F82050A2			(2) 10" Solid Rubber	25 x 18 x 52		75	50
F82375A0	F82175A2	4-Wheel	-	(2) 12" Front Pneumatic & (2) 6" Poly	26 x 21 x 60		75	50
F82895A1	F82425A0			(2) 10" Front Solid Rubber & (2) 6" Poly	25 x 21 x 60		75	50
F82845A2	F82645A4			(2) 10" Front Mold-On Rubber & (2) 6" Poly	25 x 21 x 60		75	50
F83160A7	F82960A1		Hand Brake	(2) 12" Front Pneumatic & (2) 6" Poly	26 x 21 x 60		80	55
F83450A6	F83210A7			(2) 10" Front Solid Rubber & (2) 6" Poly	25 x 21 x 60		80	55



**Hand Brake**

**Chime Hook**

- Power drive improves safety when moving heavy payloads.
- Efficiently transport drums throughout facilities or on the go.
- Compatible with 30 and 55 gallon drums: steel, plastic, and fiber.
- Variable speed control up to 2.5 MPH using twist throttle handle.
- Full function forward and reverse with reverse audible warning.
- Ergonomic design with rubber grip twin handles and full loop handle.
- Hand brake gives operators added control and safety.
- Built-in 18 AH rechargeable battery with monitor display.
- Steel frame for heavy duty, rigorous applications.
- 4-Wheel design: Pneumatic or Solid Rubber.
- Standard universal chime hook is spring-loaded with a hands-free connection.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Battery Display Gauge**



**120V Recessed Charging Plug**



**Twist Throttle Handle**



## Wheels

**Pneumatic:** heavy duty; transport loads over a variety of surfaces easily.

**Solid Rubber:** heavy duty; long lasting, and maintenance free.

## Powered Drum Hand Trucks

Model #	Wheels	Brake	Power Source	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F89484	(2) 12½" Front Pneumatic & (2) 8" Rear Solid Rubber	Hand Brake	24V Battery	28 x 21 x 60	800	160
F89503	(2) 10" Front Solid Rubber & (2) 6" Rear Polyurethane			26 x 20 x 60		150





**Standard**

- Maneuver drums throughout facility with ease.
- Store drums safely off the floor.
- Fully enclosed base contains spills and leaks.
- 2 ½" Safety lip helps keep drums secure.
- Compatible with all drum types, up to 28" in diameter.
- Solid heavy gauge steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**With Absorbent Sock**

## Drum Dollies

Model #	Style	Drum Capability		Casters	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
		Gallons	Diameter (in)				
F89709A2	Standard	30/55/85	up to 28	(4) 3" Swivel Polyolefin	32 x 32 x 6"	1,000	26
F89713A6	with Absorbent Sock						32



- Ideal for use with heavy industrial parts and equipment.
- Commonly used for transporting transmission cases, engines, and other parts.
- Two fork options: flat (pallet), or transmission (2" sq.).
- Forks are interchangeable (additional forks sold separately).
- Ergonomic loop handle for easy maneuvering.
- Deep frame creates added safety for heavy loads.
- Heavy duty, all welded steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Flat Forks**



**Transmission Forks**



**Mold-On**

**Never Flat**

## Multi-Use Hand Trucks

Model #	Fork Type	Wheels	Fork Size L x W (in)	Fork Distance	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F86182A4FF	Flat	(2) 10" Mold-On Rubber	14 ¾ x 4	up to 6" between forks	25 x 26 x 52"	800	90
F85882A3FF		(2) 10" Never Flat			26 x 26 x 52"		77
F86182A4TF	Transmission	(2) 10" Mold-On Rubber	21 x 2	up to 8" between forks	25 x 31 x 52"		90
F85882A3TF		(2) 10" Never Flat			26 x 31 x 52"		77

**Additional Interchangeable Forks:** Flat Forks F85261A0, Transmission Forks F85261A7



- Efficiently transport product throughout facilities or while on the go.
- Fenders provide additional protection and stability for your load.
- Rubber grip twin handles improve operator control.
- Foot operated trip spring allows forks to fold down or up.
- Fold forks up for compact storage or against the wall on a delivery truck.
- Fold forks down to easily push under your pallet or load.
- Once forks are under desired load, lift truck to lock forks in place, and break-back load for transport.
- 2-Wheel & 4-Wheel styles are designed to work with Valley Craft Plastic Mini-Pallets.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## 2-Wheel

**Aluminum Frame:** lightweight for easy handling and spark resistant.

**Steel Frame:** heavy duty; for rigorous applications.

## 4-Wheel

**4-Wheel Design:** improves control, maneuverability, and safety.

**Deep Frame:** provides expanded 6" frame height and 19" protective skid rails. Choice of either aluminum or steel frame.

## Deluxe 4-Wheel

**Extended Forks:** 24" fork option used for larger loads & pallets.

**Ergonomic Design:** 4-wheels along with robust deep frame design improves control, maneuverability, and safety.

## Pallet Hand Trucks

Model #	Style	Material	Wheels	Fork Size L x W (in)	Brakes	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F84727A1	2-Wheel	Aluminum	(2) 12" Pneumatic	13 <sup>3</sup> / <sub>4</sub> x 4	No Brake	26 x 27 x 54	1,000	60
F84877A9					Hand Brake			65
F84752A9			(2) 10" Rubber		No Brake	26 x 25 x 54		58
F84753A8			(2) 10" Solid Rubber		No Brake			61
F84892A0					Hand Brake			65
F84738A8		Steel	(2) 12" Pneumatic		No Brake	26 x 27 x 54		74
F84879A7					Hand Brake			84
F84793A0			(2) 10" Rubber		No Brake	26 x 25 x 54		75
F84776A1			(2) 10" Solid Rubber		No Brake			77
F84883A1					Hand Brake			82
F84803A8	4-Wheel	Aluminum	(2) 12 <sup>1</sup> / <sub>2</sub> " Front Pneumatic	13 <sup>3</sup> / <sub>4</sub> x 4	No Brake	26 x 36 x 54	1,000	80
F84802A9			(2) 10" Front Solid Rubber					80
F84812A7		Steel	(2) 12 <sup>1</sup> / <sub>2</sub> " Front Pneumatic					90
F84813A6			(2) 10" Front Solid Rubber					90
F80233C7	Deluxe 4-Wheel	Steel	(2) 12 <sup>1</sup> / <sub>2</sub> " Front Pneumatic	24 x 4			26 x 22 x 61	600

**F80234B6:** Optional 15' retractable nylon safety strap for Deluxe 4-Wheel Pallet Hand Truck.

Plastic Mini-Pallets: (12"W) Z84976A3, (15"W) Z84978A1.



**Hand Brake**

**Charging Plug**

- Powered drive improves safety when moving heavy payloads.
- Efficiently transport product throughout facilities or on the go.
- Foot operated trip spring allows forks to fold down or up.
- Fold forks up for compact storage or against the wall on a delivery truck.
- Fold forks down to easily push under your pallet or load.
- Once forks are under desired load, lift truck to lock forks in place and break-back load for transport.
- Designed to work with Valley Craft Plastic Mini-Pallets.
- Full function forward and reverse with reverse audible warning.
- Ergonomic design with rubber grip twin handles and full loop handle.
- Hand brake gives operators added control and safety.
- Built-in 18 AH rechargeable battery with monitor display.
- Steel frame for heavy duty, rigorous applications.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.




**Battery Display Gauge**



**Twist Throttle Handle**



**Foot Operated Trip Spring**



**Foldable Forks**

## Powered Pallet Hand Truck

Model #	Wheels	Fork Size L x W (in)	Brake	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F89086	(2) 12 1/2" Front Pneumatic & (2) 8" Rear Solid Rubber	13 3/4 x 4	Hand Brake	27 x 33 x 57	800	190

## Plastic Mini-Pallets

Model #	Dimensions L x W x H (in)	Capacity (lb)	Weight (lb)
Z84976A3	24 x 12 x 2	800	1
Z84978A1	24 x 15 x 2		

- Designed specifically for use with Valley Craft Pallet Trucks.
- Stringer height of 1 1/2" to meet your needs.
- Keep inventory and valuables off the ground: clean and safe, simple to transport, assists in regulatory compliance.








- Designed to efficiently transport large loads.
- "Best in Class" for use with HVAC and other bulky products.
- 24" steel forks for use with larger items and pallets.
- 4-Wheel design for improved control and handling.
- Foot operated trip spring allows forks to fold down or up.
- Fold forks up for compact storage or against the wall on a delivery truck.
- Fold forks down to easily push under your load or pallet.
- Once forks are under desired load, lift truck to lock forks in place and break-back load for transport.
- Ergonomic design with rubber grip twin handles and full loop handle.
- (2) 12" Pneumatic front wheels for easy load handling over various terrain.
- (2) 8" Semi-pneumatic rear wheels for improved support and maneuverability.
- Optional 15' retractable nylon safety strap available (sold separately).
- Heavy gauge steel with solid welds for superior durability.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Foot Operated  
Trip Spring**



**Rubber Grip Twin Handles  
& Full Loop Handle**



**12" Pneumatic  
Front Wheels**

## HVAC Hand Trucks

Model #	Color	Fork Size L x W (in)	Fork Distance (in)	Wheels	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F80233U5	Blue	24 x 4	9 <sup>3</sup> / <sub>4</sub> inside to inside	(2) 12" Front Pneumatic & (2) 8" Rear Semi-Pneumatic Swivel Casters	26 x 22 x 61	600	96
F80233R6	Red						

**Additional Safety Strap:** F80234B6



- Best everyday hand truck for rigorous universal needs.
- Ideal for beverage deliveries and other demanding applications.
- Lightweight aluminum with solid welds for superior durability.
- Variety of configurations to fit your material handling needs.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



## 2-Wheel

**Standard:** flat back design with hand brake and fender options.

**Curved Back:** ideal for keg deliveries, barrels, and other cylinder-shaped items with hand brake options.

**Deluxe:** side guards provide additional product stability and protection.



## 4-Wheel

**Standard:** foot operated trip spring allows shoe to fold down or up. Fold down to easily slide under product, and fold up for compact storage.

**Deluxe:** frame suspension allows frame-and-shoe to slide down when truck is tilted back; improving operator's visibility and handling with tall and oversized loads.

### 2-Wheel Commercial Hand Trucks

Model #	Style	Brake	Fenders	Shoe Size W x D (in)	Wheels	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F83947A7	Standard	-	-	16 x 10	(2) 10" Pneumatic	21 x 20 x 52	600	34
F84009A0		Hand Brake	19 x 20 x 51			41		
F83944A0		-	21 x 20 x 52			42		
F84008A1		Hand Brake	20 x 20 x 51			45		
F83881A5	Curved Back	-	-	22 x 10		21 x 20 x 52		33
F83971A6		Hand Brake				19 x 20 x 51		38
F83665A7	Deluxe	-				22 x 20 x 49		44

### 4-Wheel Commercial Hand Trucks

Model #	Style	Frame	Material	Shoe Size W x D (in)	Brake	Fenders	Wheels	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F84800A1	Standard	Standard	Aluminum	19 x 10	-	Fenders	(2) 10" Solid Rubber & (2) 6" Rear Swivel Casters	26 x 33 x 54	1,000	77
F84808A3			Steel					23 x 37 x 50		91
F89699	Deluxe	Standard	Steel	19 x 12	Hand Brake	-	(2) 12 1/2" Pneumatic & (2) 6" Rear Swivel Casters	23 x 37 x 50		75
F89206		Extended						23 x 37 x 62		80



- Ideal for a variety of nursery applications.
- Compatible with containerized or balled/burlapped plants.
- Constructed to withstand dirt, water, and the elements.
- Oversized 16" pneumatic wheels roll easily over uneven terrain.
- Rubber grip twin handles improve operator control.
- Steel tow hook to secure large unbalanced loads.
- Heavy duty, all welded steel construction.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Containerized**



**Balled**

## Nursery Hand Trucks

Model	Style	Shoe Size W x D (in)	Wheel	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F86088A9	Balled/Potted	23 x 5	(2) 16" Pneumatic	39 x 23 x 64	1,500	70
F86083A4	Containerized	23 x 15		39 x 31 x 64		




**Single Cylinder**



**Double Cylinder**

- Provide safe and secure transportation of gas cylinders.
- Lightweight aluminum and spark resistant.
- Included safety chain/strap secures tank(s).
- Ergonomic loop handle for easy maneuvering.
- Hand Brake gives operators added control and safety (select models).
- (2) 12" Pneumatic wheels for smooth handling on rugged terrain.
- Compatible with tanks up to 14" in diameter (depending on model).
- Continuous solid welds for superior durability.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Safety Chain & Strap**



**Hand Brake**




**12" Pneumatic Wheels**

## Cylinder Hand Trucks

Model #	Style	Cylinder Diameter (in)	Brakes	Shoe Size W x D (in)	Wheels	Dimensions W x D x H (in)	Capacity (lb)	Weight (lb)
F81238A9	Single Cylinder	9	Hand Brake	11 x 4	(2) 12" Pneumatic	20 x 16 x 50	600	41
F81303A9		14		14½ x 8		23 x 20 x 50		46
F86070A9	Double Cylinder	(2) 9	-	19 x 11¾		23 x 26 x 50		56
F86065A6			Hand Brake					64






**Shelf, 8 Cyl.**




**Shelf, 16 Cyl.**



**Horizontal, 8 Cyl.**



**Horizontal, 16 Cyl.**



**Vertical, 10 Cyl.**




**Vertical, 20 Cyl.**

- Organize and secure a variety of gas cylinder sizes.
- Prevent potential unsafe tipping, rolling, or handling.
- Fully welded 14 gauge steel construction.
- Heavy duty steel mesh offers ventilation and visibility.
- Steel legs feature predrilled holes for anchoring to the floor.
- Secure pin closure with padlockable hasp.
- Robust pin hinges eliminate possible door sagging.
- Premium powder coat paint finish in safety yellow.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Racks**



**Combo, 18 Cyl.**

## Gas Cylinder Storage Cabinets

Model #	Storage Type	Cylinder Size (lb)	Cylinder Capacity	Shelf/Rack Quantity	Dimensions W x D x H (in)	Weight (lb)
F89047	Shelf	20/33/44	8	2 Shelves	32 x 40 x 71	200
F89050			16		62 x 40 x 71	400
F89046	Horizontal		8	4 Racks	32 x 40 x 71	230
F89042			16		62 x 40 x 71	430
F89045	Vertical	up to 200	10	-	32 x 40 x 71	190
F89044			20	-	62 x 40 x 71	330
F89043	Combo (Horizontal/Vertical)	20/33/44, and up to 200	18 (8/10)	4 Racks	62 x 40 x 71	380



- Organize worksites and storage facilities with 18 cu. ft of enclosed storage.
- Perfect for stationary or mobile work environments.
- Keep valuable items clean and secure.
- (2) Recessed padlock enclosures deter possible theft.
- Interior perimeter support rails accommodate upper trays or shelves.
- Rear power cord access for charging tools and batteries.
- 4-way forkliftable design with built-in fork pockets.
- (2) Reinforced, recessed side handles simplify maneuvering.
- Compatible with hoist straps by using the outside sections of divided handles.
- Full-length piano hinge top maximizes stability and durability.
- Heavy duty, welded steel construction.
- Accessory options include: vertical-length tray, horizontal-length tray, and casters (sold separately).
- Ships fully assembled and ready to use.
- Premium powder coat paint finish in textured gray.
- Made in the U.S.A.



**Support Rails**



**Fixed Handles**



**Fork Pockets**



**Power Cord Access**

## ProVault Jobsite Box

Model #	Steel Gauge	Capacity (lb)	Dimensions W x D x H (in)	Weight (lb)
F83274A0	16	1,000	50 x 24 x 31	170



- Shelving built to handle and store a variety of products.
- Designed to withstand years of heavy use.
- (4) 12 gauge steel corner posts improve durability and longevity.
- (4) 24" deep 16 gauge shelves included; easily adjustable on 1" increments.
- Reinforced flanged shelves increase capacity and eliminate warping.
- 1,500 lb. capacity per shelf.
- Variety of sizes to fit your storage needs.
- Quick and easy assembly, hardware pack included.
- Heavy duty steel construction.
- Additional shelves sold separately.
- Premium powder coat paint finish in gray.
- Made in the U.S.A.





**Steel Corner Posts**



**Reinforced Shelves**

Model #	Shelf Size W x D (in)	Height (in)	Shelf Quantity	Steel Gauge		Dimensions W x D x H (in)	Shelf Capacity (lb)	Weight (lb)
				Posts	Shelves			
F89012	36 x 24	60	4	12	16	36 x 24 x 60	1,500	109
F89011		72				36 x 24 x 72		115
F89010	48 x 24	60				48 x 24 x 60		150
F89009		72				48 x 24 x 72		156
F89008	60 x 24	60				60 x 24 x 60		180
F89007		72				60 x 24 x 72		186

**Additional Shelving - Adjustable:** (36"x24") F89006, (48"x24") F89005, (60"x24") F89004



**Galvanized Steel Posts**

- Shelving built to handle and store the heaviest products.
- Designed to withstand years of heavy use.
- Open (standard) or Enclosed (back and sides closed) models available.
- Variety of sizes to fit your storage needs.
- (5) 12 gauge shelves included, adjustable on 1" increments.
- Reinforced flanged shelves increase capacity and eliminate warping.
- (4) 10 gauge galvanized steel corner posts improve durability and longevity.
- Quick and easy assembly, hardware pack included.
- Additional shelves sold separately.
- Made in the U.S.A.

## Heavy Duty Shelving

Model #	Shelf Size W x D (in)	Height (in)	Style	Steel Gauge	Dimensions W x D x H (in)	Shelf Capacity (lb)	Weight (lb)
F82443A8	36 x 18	60	Open	12	36 x 18 x 60	2,500	170
F82439A4			Enclosed				215
F82446A5		72	Open		36 x 18 x 72		175
F82441A0			Enclosed				225
F82444A7	36 x 24	60	Open		36 x 24 x 60		195
F82440A1			Enclosed				245
F82447A4		72	Open		36 x 24 x 72		200
F82442A9			Enclosed				260
F82435A8	48 x 24	60	Open		48 x 24 x 60		245
F82431A2			Enclosed				300
F82437A6		72	Open		48 x 24 x 72		255
F82433A0			Enclosed				320
F82436A7	60 x 24	60	Open		60 x 24 x 60		290
F82432A1			Enclosed				355
F82438A5		72	Open		60 x 24 x 72		300
F82434A9			Enclosed				375

**Additional Interior Shelving - Adjustable:** (36"x18") F85320A0, (36"x24") F85319A1, (48"x24") F85318A2, (60"x24") F85317A3







- Perfect solution for protecting posts, products, equipment, and employees.
- Prevent unexpected damage to racking and shelving from forklifts or pallet jacks.
- Eliminate accidental denting or marring.
- ¼" Heavy duty steel, virtually indestructible.
- Compatible with posts 3½" or less in diameter.
- Predrilled holes to secure unit to floor, installation hardware included.
- Premium powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.

## Post Protectors


Model #	Height (in)	Dimensions W x H (in)	Steel Gauge	Weight (lb)
F85061A2	12	4 x 12	3	8
F85060A3	18	4 x 18		10
F85062A1	24	4 x 24		12




- Stay organized with easy-mount louvered wall panels.
- Louvered panels used for hanging plastic storage bins.
- Maximize storage for smaller parts, tools, and supplies.
- (2) Panels included per pack.
- Predrilled holes for quick and easy installation.
- Mounts to walls, workbenches, and work vehicles.
- Heavy duty 18 gauge steel construction.
- Premium textured powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**24 x 18"**




**24 x 24"**




**36 x 18"**

## Louvered Panels

Model #		Quantity /Pack	Dimensions W x H (in)
Black	White		
F88000A0	F88000WW	2	24 x 18
F85227A3	F85227WW		24 x 24
F85259A4	F85259WW		36 x 18



- Organize various parts and supplies.
- Ideal for work stations and storage areas.
- Set on shelving, stackable, or hang on louvered panels.
- Made from 100% virgin material for maximum durability.
- Reinforced walls and construction.
- Variety of sizes available to fit your needs.
- Sold and shipped per case, ready to use.
- Made in the U.S.A.



**Wall Panels**



**Cabinets**



**A-Frame Carts**

## Storage Bins

Model #	Description	Quantity /Case	Dimensions W x D x H (in)	Capacity (lb)	
				On Louvers	When Stacked
Z80419A7	Extra Small (XS)	24	4 <sup>1</sup> / <sub>8</sub> x 5 <sup>1</sup> / <sub>2</sub> x 3	10	50
Z80421A5	Small (S)	24	4 <sup>1</sup> / <sub>8</sub> x 7 <sup>1</sup> / <sub>2</sub> x 3	10	50
Z80422A4	Medium (M)	12	5 <sup>1</sup> / <sub>2</sub> x 11 x 5	30	100
Z80424A2	Large (L)	12	8 <sup>1</sup> / <sub>4</sub> x 14 <sup>3</sup> / <sub>4</sub> x 7	60	200
Z80426A0	Extra Large (XL)	6	16 <sup>1</sup> / <sub>2</sub> x 14 <sup>3</sup> / <sub>4</sub> x 7	75	300



- Versatile solution for moving, adjusting, and stabilizing your cabinets to ensure full mobility and a level and secure installation.
- For use with 36" and 48" width cabinets with flush style door.
- Includes (4) 3" casters with retractable leveling feet.
- Heavy duty steel construction.
- Premium textured powder coat paint finish.
- Ships fully assembled, ready to use.
- Made in the U.S.A.



**Casters with  
Leveling Feet**



### Mobile Cabinet Platforms

Model #	Casters	Dimensions W x D x H (in)	Weight (lb)
F86678	(4) 3" Swivel Casters with built-in Leveling Feet	36 x 24 x 5	38
F86679		48 x 24 x 5	54



# TERMS & CONDITIONS

## Prices are Subject to Change without Notice.

### Payment Terms:

For Customers with approved credit, payment terms on standard or contracted products are net 30 days from date of invoice, and any unpaid balance shall be subject to a late charge of 1.5 percent per month thereafter. Minimum order policy: net \$25.

See 'Custom Products' section below for terms specific to non-standard products.

### Returns:

Valley Craft ships only first-quality merchandise after thorough inspection in strict compliance with customer orders. There is a 30-day return policy on all standard parts and products. All returns must have prior written factory approval. Returns made otherwise will not be accepted at the receiving dock and may result in customer liability for carrier storage charges. Authorized return merchandise will be subject to a 25 percent restocking charge plus applicable freight charges. Return authorization will contain instructions regarding disposition and shipping address to be used for return merchandise.

### Custom Products (per quote specifications):

Products especially made to meet customer specifications are not returnable. An order acknowledgement and approval drawing will be provided on all custom orders. Be sure to check our acknowledgement of order and approval drawing against your requirements and report any discrepancies immediately. Valley Craft will not be responsible for incorrectly manufactured custom products that meet customer approved order acknowledgement and approval drawing specifications.

A down payment of 50% will be due within 10 days of order receipt. The remaining 50% is due net 30 days from product ship date. If down payment is not received within 10 days, work will be paused until payment is received. If order is cancelled by customer, customer is responsible for costs incurred up to the point of cancellation.

Shipments will be invoiced at prices effective upon receipt of order, unless prior arrangements have been made for shipment beyond normal lead time.

### Freight:

Shipments are made FOB origin unless otherwise quoted. Merchandise is shipped either FOB origin freight collect, or FOB origin freight prepaid and added to customer invoice.

### Freight Claims:


It is the receiving party's responsibility to make the proper notations on freight bills at the time of receipt of "short shipments" or damaged merchandise. It is also the receiving party's responsibility to initiate all claims with delivering carriers, and follow up on such claims until a satisfactory settlement is made with said carrier. Valley Craft Industries, Inc., is not responsible for short shipments due to loss by the carrier and/or damage in transit.

### Warranty & Limitation of Liability:

Valley Craft products are warranted for a period of one (1) year from date of shipment from Valley Craft's plant to be free from defects in material and workmanship under correct use, normal operating conditions and proper application. However, parts of other than Valley Craft manufacture are subject ONLY to the original manufacturer's warranty. Valley Craft's obligation under the warranty shall be limited to the repair or exchange, at Valley Craft's option, FOB Valley Craft's factory, of any Valley Craft product or part which proves to be defective as provided herein. Valley Craft reserves the right to either inspect the product at Buyer's location, or require it to be returned freight prepaid to the factory for inspection. The warranty contained herein does not extend to goods damaged, or subject to accident, abuse or misuse after shipment from Valley Craft's factory, nor to goods altered or repaired by anyone other than an authorized Valley Craft representative.

Buyer or user shall not alter, modify or use a Valley Craft product for anything other than its intended function. Valley Craft shall not in any way be responsible for the consequences of any such alteration, modification or misuse.

VALLEY CRAFT MAKES NO EXPRESS WARRANTIES OTHER THAN THOSE WHICH ARE SPECIFICALLY DESCRIBED HEREIN. Any description of the goods sold hereunder, including any references to Buyer's specifications and any descriptions in catalogs, circulars and other written material published by Valley Craft, is for the sole purpose of identifying such goods and shall not create an express warranty that the goods shall conform to such descriptions. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY STATES VALLEY CRAFT'S ENTIRE AND EXCLUSIVE LIABILITY, AND BUYER'S EXCLUSIVE REMEDY FOR ANY CLAIM FOR DAMAGES IN CONNECTION WITH THE SALE OR FURNISHINGS OF VALLEY CRAFT PRODUCTS, THEIR DESIGN, SUITABILITY FOR USE, INSTALLATION OR OPERATION OR FOR ANY CLAIMED DEFECTS THEREIN. VALLEY CRAFT WILL IN NO EVENT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES WHATSOEVER, NOT FOR ANY SUM IN EXCESS OF THE PRICE RECEIVED FOR THE GOODS FOR WHICH LIABILITY IS CLAIMED.



**Valley Craft Industries, Inc.**  
2001 South Highway 61  
Lake City, MN 55041

☎ 651-345-3386  
✉ [customerservice@valleycraft.com](mailto:customerservice@valleycraft.com)  
🌐 [valleycraft.com](http://valleycraft.com)